g~

Notice of Allowability	Application No.	Applicant(s)	
	10/790,515	TAYLOR ET AL.	
	Examiner	Art Unit	
	Chandrika Prasad	2839	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course	. THIS
1. This communication is responsive to <u>5/31/05</u> .			
2. The allowed claim(s) is/are <u>1-23</u> .			
3. $\square$ The drawings filed on <u>16 March 2004</u> are accepted by the	Ėxaminer.		
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS EDOMATHE *MANUANCE DATE.*	been received. been received in Application No cuments have been received in this	national stage application from	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requireme	ents
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OF
6. CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review (PTO- : s Amendment / Comment or in the C .84(c)) should be written on the drawing the header according to 37 CFR 1.121(c	office action of the back) of the back) of the front (not the back) of the back of the back) of the back of the back) of the back of the	
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL n FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the	}
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amenda	atent Application (PTO-152) (PTO-413), e nent/Comment nt of Reasons for Allowance	
		afril	
·		CHANDRIKA PRASA	מ

PRIMARY EXAMINER

Application/Control Number: 10/790,515

Art Unit: 2839

**DETAILED ACTION** 

Page 2

Allowable Subject Matter

1. Claims 1-23 are allowed.

2. The following is an examiner's statement of reasons for allowance:

Prior art does not show a load plate having a channel to receive and retain an electronic package when the load plate in the open position as required by the independent claims 1, 11 and 21.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**Contact Information** 

3. Any correspondence to this action may be mailed to:

Commissioner for Patents Post Office Box 1450 Alexandria, VA 22313-1450

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad at (571) 272-2099. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.

Chandrika Prasad Primary examiner July 12, 2005